


PERFILES CORREA (Ref.: VH)

(Laminados en frío) C


Dimensiones (mm.)				Peso kg/m.	S cm ²	I _{xx} cm ⁴	I _{yy} cm ⁴	W _{xx} cm ³	W _{yy} cm ³
a	b	c	e						
100	50	15	2	3,40	4,33	69,10	14,94	13,82	4,56
100	50	15	2,5	4,18	5,33	83,78	17,84	16,75	5,44
100	50	15	3	4,94	6,29	97,46	20,43	19,49	6,22
125	50	15	2	3,79	4,83	116,20	16,13	18,59	4,68
125	50	15	2,5	4,67	5,95	141,35	19,27	22,61	5,59
125	50	15	3	5,53	7,04	164,97	22,08	26,39	6,40
150	50	15	2	4,18	5,33	178,39	17,09	23,78	4,77
150	50	15	2,5	5,16	6,58	217,53	20,43	29,00	5,70
150	50	15	3	6,12	7,79	254,52	23,41	33,93	6,53
175	50	15	2	4,57	5,83	257,26	17,89	29,40	4,84
175	50	15	2,5	5,65	7,20	314,28	21,38	35,91	5,78
175	50	15	3	6,71	8,54	368,43	24,51	42,10	6,63
200	75	20	2	6,02	7,67	466,45	60,03	46,64	11,53
200	75	20	2,5	7,33	9,33	573,14	64,50	57,31	12,12
200	75	20	3	8,71	11,10	676,12	85,61	67,61	16,13
200	75	20	4	11,41	14,54	870,46	99,80	87,04	18,78
225	75	20	2	6,41	8,17	614,20	62,30	54,59	11,66
225	75	20	2,5	7,82	9,96	755,42	69,17	67,14	12,89
225	75	20	3	9,30	11,85	892,02	82,55	79,29	15,18
225	75	20	4	12,20	15,54	1.150,74	103,49	102,28	19,02
250	75	20	2	6,87	8,67	787,06	64,30	62,96	11,78
250	75	20	2,5	8,31	10,58	968,83	71,60	77,50	12,87
250	75	20	3	9,89	12,60	1.154,35	85,13	92,34	15,34
250	75	20	4	12,98	16,54	1.479,60	106,75	118,36	19,22
250	75	20	5	15,97	20,36	1.850,03	189,03	148,00	25,89



PERFILES CORREA

(Laminados en frío) **Z** (Ref.: VH)


Dimensiones (mm.)						Peso kg/m.	S cm ²	I _{xx} cm ⁴	I _{yy} cm ⁴	W _{xx} cm ³	W _{yy} cm ³
a	b	b ₁	c	c ₁	e						
100	55	48	19	10	2	3,40	4,34	69	27	13	5,30
100	55	48	19	10	2,5	4,21	5,36	84	33	16	6,60
100	55	48	19	10	3	5,00	6,37	99	40	19	8
125	55	48	19	10	2	3,80	4,84	116	27	18	5,40
125	55	48	19	10	2,5	4,70	5,99	142	33	21	6,60
125	55	48	19	10	3	5,59	7,12	167	40	25	8
150	53	48	19	10	2	4,19	5,34	178	27	23	5,50
150	54	48	19	10	2,5	5,19	6,61	218	33	28	6,70
150	55	48	19	10	3	6,20	7,87	257	40	33	8
175	55	48	19	19	2	4,79	6,10	273	34	31	7
175	55	48	19	19	2,5	5,94	7,56	336	43	38	8
175	55	48	19	19	3	7,10	9,01	397	51	44	10
200	80	70	19	19	2	5,90	7,50	464	88	45	11
200	80	70	19	19	2,5	7,31	9,31	572	109	56	14
200	80	70	19	19	3	8,72	11,11	677	130	66	17
200	80	70	19	19	4	11,45	14,59	876	174	85	22
225	80	70	19	19	2	6,28	8	610	88	53	12
225	80	70	19	19	2,5	7,88	9,91	751	109	65	14
225	80	70	19	19	3	9,46	11,83	890	127	77	17
225	80	70	19	19	4	12,60	15,55	1.153	171	99	22
250	80	70	19	19	2	6,67	8,50	782	88	61	11
250	80	70	19	19	2,5	8,36	10,54	963	107	75	14
250	80	70	19	19	3	10,03	12,55	1.138	125	89	16
250	80	70	19	19	3,5	11,70	14,52	1.307	143	102	19
250	80	70	19	19	4	13,37	16,47	1.470	165	115	22
250	80	70	19	19	5	16,70	20,26	1.780	240	139	32



PERFILES CORREA
(Laminados en frío) G (Ref.: V)

Dimensiones (mm.)					Peso kg/m.	S cm ²	I _{xx} cm ⁴	I _{yy} cm ⁴	W _{xx} cm ³	W _{yy} cm ³
a	b	c	d	e						
100	50	50	25	2	3,73	4,75	77	18	15	4,30
100	50	50	25	2,5	4,61	5,87	93	21	18	5,20
100	50	50	25	3	5,46	6,96	109	25	21	6,00
125	50	50	25	2	4,12	5,25	129	18	20	4,30
125	50	50	25	2,5	5,10	6,49	157	22	25	5,20
125	50	50	25	3	6,05	7,71	184	25	29	6,00
150	50	50	25	2	4,51	5,75	197	18	26	4,30
150	50	50	25	2,5	5,59	7,12	241	22	32	5,20
150	50	50	25	3	6,64	8,46	284	26	37	6,10
175	50	50	25	2	4,90	6,25	284	18	32	4,30
175	50	50	25	2,5	6,08	7,74	348	22	39	5,20
175	50	50	25	3	7,23	9,21	409	26	46	6,10
200	50	50	25	2	5,30	6,75	389	19	39	4,30
200	50	50	25	2,5	6,57	8,37	478	22	47	5,20
200	50	50	25	3	7,82	9,96	564	26	56	6,10
225	50	50	25	2	5,69	7,25	516	19	46	4,30
225	50	50	25	2,5	7,06	8,99	635	23	56	5,20
225	50	50	25	3	8,41	10,71	750	27	66	6,10
250	50	50	25	2	6,08	7,75	666	19	53	4,30
250	50	50	25	2,5	7,55	9,62	820	23	65	5,20
250	50	50	25	3	9,00	11,46	969	27	77	6,10

PERFILES CORREA (Laminados en frío) M (Ref.: PF)



Dimensionado s/Norma IRON STEEL INSTITUTE

Perfil	H	B	E
M - 120	120	60	2
M - 140	140	60	2
M - 160	160	60	2
M - 180	180	70	2 - 2,5
M - 200	200	70	2 - 2,5
M - 220	220	70	2 - 2,5
M - 250	250	70	2,5-3-4

Recomendada para pendiente máxima del 20%.

H mm.	B mm.	E mm.	Peso kg/m.	S cm ²	I _{xx} cm ⁴	W _{xx} cm ³	I _{yy} cm ⁴	W _{yy} cm ³
120	60	2	4,36	5,55	124,85	21,25	18,33	5,74
140	60	2	4,67	5,95	182,07	26,48	18,41	5,76
160	60	2	4,99	6,35	253,36	32,17	18,49	5,79
180	70	2	5,61	7,15	371,64	41,87	28,73	7,24
180	70	2,5	7,02	8,94	464,55	52,34	35,91	9,05
200	70	2	5,93	7,55	482,77	48,89	28,90	7,22
200	70	2,5	7,41	9,44	603,46	61,11	36,13	9,02
220	70	2	6,24	7,95	613,03	56,37	29,06	7,20
220	70	2,5	7,80	9,94	766,29	70,46	36,33	9,00
250	70	2,5	8,39	10,69	1.059,03	85,58	36,59	8,97
250	70	3	10,07	12,83	1.270,84	102,69	43,91	10,76
250	70	4	13,43	17,10	1.694,46	136,93	58,54	13,92